# USAARL REPORT NO. 73-8

REAL-EAR SOUND ATTENUATION CHARACTERISTICS OF THE DH-132 HELMET FOR ARMORED VEHICLE CREWMEN

Ву

Robert T. Camp, Jr.
Robert W. Bailey, COL, MSC
Ben T. Mozo
Gordon A. Schott, SP4
Rohinton N. Guzdar, SP5
Timothy M. Hinkel, PFC

February 1973

Biophysics Division

U. S. ARMY AEROMEDICAL RESEARCH LABORATORY
Fort Rucker, Alabama



#### NOTICE

Qualified requesters may obtain copies from the Defense Documentation Center (DDC), Cameron Station, Alexandria, Virginia. Orders will be expedited if placed through the librarian or other person designated to request documents from DDC (formerly ASTIA).

# Change of Address

Organizations receiving reports from the U. S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

# Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

# Distribution Statement

This document has been approved for public release and sale; its distribution is unlimited.

#### Disclaimer

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

AD	

#### USAARL REPORT NO. 73-8

REAL-EAR SOUND ATTENUATION CHARACTERISTICS OF THE DH-132 HELMET FOR ARMORED VEHICLE CREWMEN

Ву

Robert T. Camp, Jr.
Robert W. Bailey, COL, MSC
Ben T. Mozo
Gordon A. Schott, SP4
Rohinton N. Guzdar, SP5
Timothy M. Hinkel, PFC

# February 1973

# Biophysics Division

- U. S. ARMY AEROMEDICAL RESEARCH LABORATORY
  Fort Rucker, Alabama
- U. S. Army Medical Research and Development Command

Distribution Statement. This document has been approved for public resease and sale; its distribution is unlimited.

# **ABSTRACT**

The U. S. Army Aeromedical Research Laboratory was requested by the Preventive Medicine Division of The Office of The Surgeon General to test "off-the-shelf" helmets that would be suitable for replacement of the standard T-56-6 CVC helmet. Audiometric data taken from samples of tank crewmen revealed hearing losses which indicated that there is an urgent need for the development of a helmet that would protect against the adverse acoustic environments associated with tank operations. Previous evaluation by real-ear tests of sound attenuation established the T-56-6 to be an inadequate acoustic protective device for armored vehicle crewmen.

Three "off-the-shelf" helmets were tested and recommended as suitable for consideration as a possible replacement for the standard CVC helmet. The DH-132 was identified by the Armor Center as their choice of the three presented as most appropriate for the armor environment.

A Materiel Need (MN) document was prepared and staffed to procure the DH-132. The first group procured for engineering and service test DH-132-1 was found less efficient than the original DH-132. This identified deficiency was corrected in a second prototype DH-132-2. Data in this report confirms the DH-132-2 meeting or exceeding all acoustic attenuation requirements of the MN and medically acceptable as an acoustic protector for armored vehicle crewmen. Therefore type classification Standard A is recommended for the DH-132-2 helmet.

APPROVED:

ROBERT W. BAILE

Commanding

# REAL-EAR SOUND ATTENUATION CHARACTERISTICS OF THE DH-132 HELMET FOR ARMORED VEHICLE CREWMEN

#### INTRODUCTION

The Aeromedical Research Laboratory was requested by the Preventive Medicine Division of The Office of The Surgeon General, in 1970, to provide information about the attenuation characteristics of some "off-the-shelf" helmets that might replace the standard T-56-6 CVC helmet. Previous tests of the real-ear attenuation of the T-56-6 helmet revealed that the attenuation characteristics did not protect adequately against the high sound pressure levels within the U. S. Army tanks.

From the data collected on various types of helmets during the development of the SPH-4 helmet, the U. S. Army Aeromedical Research Laboratory selected and recommended three types of helmets that fulfilled the acoustic protection requirements of the U. S. Army tank crewmen. This was reported in USAARL Letter Report of 25 May 1970, "Real-Ear Sound Attenuation Characteristics of Three Brands of Ear Protective Devices Proposed for Armored Vehicle Crewmen," that described the real-ear attenuation data on three brands of helmets with ear protective devices, namely: 1) the David Clark HPG-9A; 2) the CBS MARK III; and 3) the Gentex DH-132. Of these three proposed helmets, the DH-132 was selected by Armor Center representatives as the most suitable for the tank crewmen. Since that time, materiel need requirements and specifications were written and samples from the vendor obtained for engineering and service tests. This Laboratory was responsible for evaluating the medical aspects of bump protection, thermal protection and acoustic protection. Measurement of the real-ear attenuation characteristics of the samples, and recommendations are the subject of this report.

# PROCEDURE AND EQUIPMENT

Procedures, equipment and physical requirements specified in the standard method for the measurement of the real-ear attenuation of ear protectors at threshold, ANSI Z24.22-1957, were used for ascertaining the real-ear attenuation characteristics of the DH-132 helmet.

In addition to the standard 125, 250, 500, 1K, 2K, 3K, 4K, 6K

and 8K Hz test frequencies, one lower test tone 75 Hz was included. The tones were generated by a Hewlett-Packard 241-A oscillator. Block Diagram of instruments in Figure 1. The output of the oscillator was connected to a step attenuator set - a Hewlett-Packard 350D with a range of 110 dB in 1 dB steps. This attenuator provided the experimenter with a calibrated control of test tone levels for checking the subjects' reliability; also, the control of the overall sound pressure levels of test tones was necessary for subjects with extremely low thresholds and for boosting levels when testing attenuating devices of The output of the 350D attenuator was fed into the high efficiency. input of a Grason Stadler E-3382C modulating switch. The modulating switch served as a device for interrupting the test tones with a 50 percent duty cycle and with off and on durations of approximately 370 milliseconds which simulates the interruption rate of our Laboratory audiometer. The rise and decay times of the switch were 40 milliseconds The E-3382C modulating switch also served as a power amplifier for driving the loudspeaker. The Grason Stadler E-3262A recording attenuator was between the power amplifier and loudspeaker for recording and control of output level of the loudspeaker. The loudspeaker was an Altec 605B, a two-way duplex 15-inch loudspeaker. The recording attenuator was provided with control switches that may be operated by the subject and the experimenter. The subject's switch was a photoelectric clickless type. The experimenter's switch has facilities for changing directions, stopping the attenuator and overriding the subject's control. Having the recording attenuator on the output of the power amplifier provides attenuation of the test signal and the amplifier noise. The voltage to the loudspeaker was measured with a Hewlett-Packard 3400A RMS voltmeter. The circuitry was calibrated with this voltmeter at the beginning of each test.

In addition to recording the information on the recording attenuator, there is a digital printout of the attenuation values. A potentiometer was coupled mechanically to the recording attenuator which controlled a DC voltage as a function of attenuator setting. The voltage across the potentiometer was adjusted to indicate 1.000 volt on a Digi-Tec digital DC voltmeter when the recording attenuator was set at 100 dB attenuation. By arbitrarily moving the decimal point, the voltage indication may be taken as a representation of the attenuation value of 100.0 dB. The linear relationship between the change of attenuation of the recording attenuator and the accompanying voltage across the potentiometer yields digital voltage readings that are numerically identical to the attenuation values registered on the recording attenuator. This information was printed by a Digi Tec printer which was connected to the digital voltmeter. This system of representing attenuation values with voltage readings has a resolution equivalent to one-tenth decibel.

The recording attenuator circuitry was provided with a one-shot




Figure 1

3

BLOCK DIAGRAM OF INSTRUMENTATION FOR REAL-EAR ATTENUATION TEST

monostable multi-vibrator circuit that sent a print command each time the subject changed recording attenuator direction. With a Bakesy type response for constant test tones, there was an oscillation of attenuation values around the subject's threshold. This oscillation is due to the activation and release of the attenuator control switch when the listener perceives and ceases to perceive the acoustic stimuli, respectively. The printout facility provided digital printout of minimum and maximum values of the oscillations around the subject's threshold. The printer also provided a sum total of the response values at the end of ten responses.

A quiet environment was provided by an Industrial Acoustic Company 1285-A double wall audiometric room. The intensity gradients were measured for certain test tones as required by ANSI Z24.22 - 1957. Tables I through III contain sound pressure levels measured in 1-inch increments along three axes from the subject's head. These were the normal maximal sound pressure level values of each test tone after calibration. The 1285-A had extremely high attenuation characteristics throughout the audiospectrum. Table IV is a tabulation of a one-third octave band statistical analysis of the room noise. The system noise of the instrumentation used to measure the room noise is also shown. The noise measuring instrumentation was a calibrated one-inch Bruel & Kjaer microphone, a Bruel & Kjaer audiofrequency spectrometer type 2112, a Bruel & Kjaer level recorder type 2305, and a Bruel & Kjaer statistical analyzer type 4420. System noise measurements were done with the microphone cartridge replaced by a 50 pico farad capacitor.

# RESULTS AND DISCUSSION

Real-ear attenuation values obtained with the samples of the Gentex DH-132 helmets are shown in Table V. Column 1 contains the original data published in the 1970 Letter Report about the original findings of the attenuation characteristics of the DH-132. The second column contains the attenuation characteristics of the first prototype DH-132-1 and the third column contains the attenuation values of the second prototype DH-132-2. The minimum attenuation characteristics as written in the materiel need specifications for the armored vehicle crewmen helmets are shown in Column 4.

The results from the first test performed on the DH-132 helmets in Column 1 show that all values exceeded the required values in the specifications. However, the second column data shows that the first test sample DH-132-1 did not pass the test. The attenuation was found to have deteriorated considerably at frequencies of 125 Hz, 250 Hz, 500 Hz, 1KHz, and 2KHz. Investigations into the reasons why the DH-132 failed to yield the original values show that there was a modification, required by other Army agencies, which had an adverse effect on the

Table I

Sound Pressure Level Output, in Decibels (re 0.0002  $\mathrm{Dyne/cm}^2$ ), from the Calibrated Instrumentation for Testing Real-Ear Attenuation. Ten Test Tones in the IAC 1285-A Audiometric Room at the Acoustic Laboratory, Fort Rucker, Alabama. The Values are Normal Maximum Sound Pressure Level Gradient Data Derived from Measurements of

	Test Tones in Hz.	Distan	ce in 1	Inches Below Head Position	Selow th	Distance in Inches Below the Normal Head Position		Normal Head Position	Distan	ice in ]	Distance in Inches Above the Normal Head Position	les Above th	ie Norma	<b>-</b> 1
		1.9	5"	4	311	2"	1"	01	11	2"	3.	4"	5"	9
	75	70.5	9.07	70.8	71.2	71.4	71.6	71.8	71.7	71.8	72.1	72.3	72.3	72.5
	125	77.2	77.6	77.8	77.8	78.0	78.2	78.5	78.5	78.7	79.0	79.2	79.4	9.62
	250	84.3	84.3	84.1	83.6	83.4	82.9	82.8	82.6	82.4	82.0	81.8	81.6	81.5
	200	89.4	89.3	89.1	89.0	88.9	98.6	9.88	88.5	88.5	88.6	88.6	88.7	88.8
	1000	84.9	84.8	84.6	84.4	85.2	85.6	86.2	86.2	86.0	85.7	85.4	84.7	84.3
•	2000	85.6	85.8	85.5	84.6	84.0	84.2	8.48	84.9	84.8	84.4	84.0	84.4	85.0
	3000	83.8	83.4	85.6	86.2	85.4	83.4	85.0	9.98	87.3	85.8	84.8	85.0	85.2
	4000	84.1	85.0	84.8	85.4	87.8	87.0	85.2	85.4	84.6	84.4	84.8	84.0	82.1
	0009	72.6	71.7	72.8	77.8	80.5	84.2	82.0	82.0	9.08	76.4	78.1	77.2	77.3
	8000	79.2	78.0	77.9	81.1	81.8	83.4	83.6	84.2	85.1	82.4	84.4	81.1	83.0

Table II

Laboratory, Fort Rucker, Alabama. The Values are Normal Maximum Sound Pressure Level Output, in Decibels (re  $0.0002~\mathrm{Dyne/cm^2}$ ), from the Calibrated Instrumentation for Testing Real-Ear Attenuation. Sound Pressure Level Gradient Data Derived from Measurements of Ten Test Tones in the IAC 1285-A Audiometric Room at the Acoustic

Test Tones in Hz.	Distar	nce in .	Distance in Inches in Front of the Normal Head Position	hes in Front Head Positio	t of the on	Normal	Normal Head Position	Distai	nce in ]	Distance in Inches Behind the Normal Head Position	Behind t	the Norm	la1
\$ ·	611	5"	4"	3,1	2"	1"	0	=	2".	3"	"4	1.5	19
75	76.7	76.1	75.4	74.6	73.9	73.3	72.2	71.4	70.7	70.0	69.2	9.89	68.
125	81.1	90.08	80.4	80.0	9.62	79.2	78.6	78.4	78.1	77.8	77.2	77.4	76.
250	80.8	81.5	82.8	81.9	82.6	82.8	83.0	83.2	83.5	83.6	83.7	83.7	83.
200	87.2	87.8	88.0	88.4	88.5	88.5	88.2	88.1	87.9	87.6	87.3	86.7	86.
1000	86.0	9.48	83.4	83.7	84.7	86.0	96.6	86.5	85.8	9.48	83.3	82.4	82.
2000	83.4	84.2	86.7	85.7	81.8	82.9	85.3	84.0	80.0	82.0	84.2	83.4	81.
3000	82.6	83.8	83.4	83.6	85.3	82.0	82.6	80.2	78.8	83.3	79.5	84.4	85.
4000	6.48	85.7	85.5	85.3	85.8	84.3	84.5	82.6	85.0	84.1	83.0	83.2	81.
0009	78.0	81.4	9.08	77.8	0.62	81.2	82.8	72.6	77.8	80.8	82.0	75.0	77.
8000	9.62	78.6	82.6	82.0	82.0	82.7	82.4	80.1	9.08	80.2	82.1	79.8	80.0

Table III

Sound Pressure Level Output, in Decibels (re 0.0002  $\rm Dyne/cm^2$ ), from the Calibrated Instrumentation for Testing Real-Ear Attenuation. Ten Test Tones in the IAC 1285-A Audiometric Room at the Acoustic Laboratory, Fort Rucker, Alabama. The Values are Normal Maximum Sound Pressure Level Gradient Data Derived from Measurements of

1.9	72.3	79.0	83.2	86.4	82.6	84.4	85.0	82.5	84.8	74.2
5"	72.5	79.0	83.1	87.0	83.4	82.6	82.4	84:3	78.1	81.5
4"	72.4	79.0	83.1	87.5	83.6	83.3	81.2	82.3	83.0	76.2
3"	72.4	78.9	83.1	87.9	84.1	84.7	82.6	80.5	79.5	83.7
2"	72.3	78.9	83.1	88.4	84.7	85.1	85.2	82.6	74.4	6.62
=	72.3	78.8	83.0	88.6	85.4	85.1	86.2	84.6	81.7	84.7
01	72.3	78.6	82.9	88.9	86.0	85.2	84.6	83.8	82.0	83.1
	72.0	78.5	82.8	88.9	86.3	6.48	82.3	82.8	73.4	83.1
2"	72.1	78.6	82.8	89.0	9.98	84.7	80.8	82.4	77.1	83.6
3"	71.7	78.4	82.7	88.9	86.4	84.5	6.08	81.6	82.5	81.7
4"	71.7	78.3	82.6	88.7	86.1	83.7	82.5	82.4	82.5	79.1
5"	71.6	78.2	82.5	88.5	85.7	83.2	82.9	82.0	81.3	81.7
9	71.6	78.1	82.4	88.2	85.2	83.0	84.7	82.4	82.5	76.4
	75	125	250	200	1000	2000	3000	4000	0009	8000
	5'' $4''$ $3''$ $2''$ $1''$ $0$ $1''$ $2''$ $3''$ $4''$ $5''$	$\frac{6"}{71.6}  \frac{5"}{71.7}  \frac{4"}{71.7}  \frac{2"}{72.1}  \frac{1"}{72.0}  \frac{0}{72.3}  \frac{1"}{72.3}  \frac{2"}{72.3}  \frac{4"}{72.4}  \frac{5"}{72.5}$	6"         5"         4"         3"         2"         1"         0         1"         2"         3"         4"         5"           71.6         71.7         71.7         72.1         72.0         72.3         72.3         72.3         72.4         72.4         72.5           78.1         78.2         78.3         78.5         78.6         78.9         78.0         79.0         79.0	6"         5"         4"         3"         2"         1"         0         1"         2"         3"         4"         5"           71.6         71.7         71.7         72.1         72.0         72.3         72.3         72.4         72.4         72.4         72.5           78.1         78.2         78.3         78.5         78.6         78.9         78.9         79.0         79.0           82.4         82.5         82.6         82.7         82.8         82.8         82.9         82.9         83.1         83.1         83.1         83.1	6"         5"         4"         3"         2"         1"         0         1"         2"         3"         4"         5"           71.6         71.7         71.7         72.1         72.0         72.3         72.3         72.3         72.4         72.4         72.5           78.1         78.2         78.3         78.4         78.5         78.5         78.6         78.9         78.0         79.0         79.0           82.4         82.5         82.6         82.7         82.8         82.9         82.9         83.0         83.1         83.1         83.1         83.1           88.2         88.5         88.5         88.9         88.9         88.9         88.6         88.4         87.9         87.5         87.0	6"         5"         4"         3"         2"         1"         0         1"         2"         4"         5"           71.6         71.7         71.7         72.1         72.0         72.3         72.3         72.3         72.4         72.4         72.5           78.1         78.2         78.5         78.5         78.6         78.9         78.9         79.0         79.0           82.4         82.5         82.6         82.7         82.8         82.9         82.9         82.9         88.9	6"         5"         4"         3"         2"         1"         0         1"         2"         3"         4"         5"           71.6         71.7         71.7         72.1         72.0         72.3         72.3         72.3         72.4         72.4         72.5           78.1         78.2         78.3         78.4         78.5         78.5         78.6         78.9         78.9         78.9         79.0         79.0           82.4         82.5         82.6         82.8         82.8         82.9         82.9         83.0         83.1         83.4         83.1         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4         83.4	6."         5"         4"         3"         4"         9         1"         2"         4"         5"           71.6         71.6         71.7         71.7         72.1         72.3         72.3         72.3         72.4         72.4         72.5           78.1         78.2         78.6         78.5         78.6         78.6         78.8         78.9         79.0         79.0           82.4         82.5         82.7         82.8         82.8         82.9         83.0         83.1         83.1         83.1         83.1           88.2         88.5         88.7         86.9         88.9         88.6         87.5         87.0         87.0           85.2         85.7         86.1         86.3         86.0         85.4         84.7         84.1         83.6         83.4           83.0         83.2         86.0         85.2         85.1         85.1         85.1         85.1         85.1         85.1         85.1         85.2           84.7         82.9         82.5         86.0         86.2         85.1         85.1         85.1         85.1         85.2         85.2         85.2         85.2         85.4	6"         5"         4"         3"         1"         0         1"         2"         4"         4"         5"           71.6         71.6         71.7         71.7         72.1         72.0         72.3         72.3         72.3         72.4         72.4         72.5           78.1         78.2         78.3         78.4         78.5         78.5         78.6         72.3         72.4         72.4         72.5           82.4         78.5         78.5         78.5         78.6	6".         5".         4".         3".         2".         1".         0         1".         2".         3".         4".         5".           71.6         71.6         71.7         71.7         72.1         72.0         72.3         72.3         72.4         72.4         72.5           78.1         78.1         78.2         78.6         78.6         78.5         78.6         78.9         72.3         72.4         72.4         72.5           78.1         78.2         78.3         78.6         78.5         78.6         78.6         78.9         78.9         79.0         79.0           82.4         82.5         82.7         78.6         78.6         82.9         82.

Table IV

Mean Sound Pressure Level and Standard Deviation Values in Decibels (re 0.0002 Dyne/cm<sup>2</sup>) of Ambient Acoustic Noise in the Industrial Acoustics Company 1285-A Audiometric Room at the Acoustic Laboratory, Ft. Rucker, Alabama. Also Shown are System Noise Data of the Instrumentation Used in Measuring the Acoustic Noise.

1/3rd Octave-Band	Syste	m Noise	Room	Noise
Center Frequencies	Mean	Standard	Mean	Standard
in Hertz	SPL Equiv.	Deviation	SPL	Deviation
25	18.13	3.15	29.36	2.97
31.5	16.13	2.80	28.68	3.07
40	16.00	2.90	29.48	2.95
50	14.76	2.42	30.36	2.55
63	15.83	2.12	31.97	1.52
80	12.87	2.17	14.36	1.95
100	11.38	1.70	16.81	0.37
125	9.70	1.75	28.93	0.85
160	9.32	1.50	9.88	1.25
200	8.02	1.42	10.99	1.22
250	6.14	1.25	17.81	1.22
310	5.58	1.32	11.56	0.67
400	4.86	1.17	14.21	0.32
500	4.18	0.82	4.58	0.95
630	2.65	1.22	4.46	0.80
800	2.08	0.90	4.55	0.90
1,000	1.59	0.60	2.40	1.12
1,250	2.68	1.20	4.17	0.65
1,600	1.26	1.00	3.22	1.22
2,000	0.96	1.22	2.18	0.95
2,500	0.31	1.27	1.78	0.27
3,150	0.73	1.22	8.97	0.80
4,000	0.58	1.25	4.16	0.47
5,000	1.46	0.80	2.53	1.15
6,300	1.75	0.	2.98	1.15
8,000	2.35	1.07	1.90	0.60
10,000	1.75	0	4.30	1.72
12,500	2.49	1.15	4.25	0
16,000	4.25	0	4.26	0.15
20,000	4.25	0	4.62	0.87
A	36.75	0	36.75	0
В	34.25	0	35.65	1.25
C	46.75	0	49.32	0.70
Lin	56.75	0	56.75	0

Table V

Mean Real-Ear Sound Attenuation and Standard Deviation Values in Decibels Obtained with Gentex DH-132 Helmets

Mean Attenuation Values Required by Specifications (4)	Mean		15	14	24	28	30	35	35	35	30	
132-2 1 Test Samples 1972 (3)	Standard	6.31	3.63	66.0	2.71	4.50	3.66	3.84	3.19	90.9	7.98	
DH-132-2 Modified Test in 1972 (3)	Mean	21.74	16.95	20.41	25.61	32.12	30.57	42.71	44.31	37,39	34.68	
~~ ~\	Standard Deviation	6.34	5.65	6.02	5.29	5.83	5.38	4.81	7.54	8.54	10.86	
DH-13 First Te	Mean	12.09	11.65	13.15	21.48	17.33	26.44	37.56	46.56	36.90	33.10	
	Standard Deviation	5.61	3.44	2.54	3.36	4.16	3.88	2.53	5.37	8.67	6.57	
DH- Original in (1)	Mean	18.85	15.62	16.23	26.81	31.08	35.40	37.95	41.78	39.82	32.11	
Test Frequencies in Hertz		75	125	250	200	1000	2000	3000	4000	0009	8000	

(1) Tests performed at USAARL - 3 subjects 3 times each.
(2) " " " - 10 subjects 3 times each.
(3) " " " - 3 subjects 3 times each.

sound protective characteristics. It therefore required further modifications to correct the faults induced by these modifications. Column 3 contains the results of the real-ear attenuation test after the correction of induced losses in attenuating efficiency. These values show that the second prototype of the DH-132 (DH-132-2) provided the attenuation characteristics required by the specifications of the MN for an improved armor vehicle crewman's helmet. It is therefore concluded that the DH-132-2 does equal, or exceed the attenuation characteristics required to protect against the high level noise encountered by armor vehicle crewmen.

# SUMMARY AND CONCLUSIONS

At the request of the Preventive Medicine Division of The Office of The Surgeon General, the Aeromedical Research Laboratory assumed the task of obtaining a solution to the problem of severe hearing loss among tank crewmen caused by the adverse acoustical environment associated with tank operation. Three "off-the-shelf" helmets were submitted in 1970, one of which — the DH-132 — was selected as suitable for test and consideration as a replacement for the original CVC helmet. Later, this Laboratory received test samples (DH-132-1) and discovered that modifications of the original DH-132 had caused a deterioration of the attenuation characteristics. A second modification was performed to regain the original acoustical integrity of the prototype DH-132-1. This configuration of the DH-132 (DH-132-2) does fulfill the requirements in terms of adequate acoustic protection against the high level tank and weapons noise. It is therefore recommended that this helmet be classified as the Standard A for armored vehicle crewmen.

Dated: 16 February 1973

# REFERENCES

- 1. Camp, Robert T., Jr. Real-Ear Sound Attenuation Characteristics of Three Brands of Ear Protective Devices Proposed for Armored Vehicle Crewmen. USAARL Letter Report, USArmy Aeromedical Research Laboratory, Fort Rucker, Alabama, 25 May 1970.
- McCurdy, Harry W.; Walden, Brian E.; and Worthington, Don W.
   The Extent of Hearing Loss in the Army. A Survey Report,
   Army Audiology and Speech Center, Walter Reed General
   Hospital, Washington, D. C., Year 1972.
- 3. Department of the Army Technical Bulletin TB MED 251, 25 January 1965. Noise and Conservation of Hearing.
- 4. American National Standards Institute. American Standard Method for the Measurement of the Real-Ear Attenuation of Ear Protectors at Threshold, ANSI Z24.22-1957.

DOCUMENT CONT (Security classification of title, body of abstract and indexing			overall report is classified)
1. ORIGINATING ACTIVITY (Corporate author)	annotation must be e		CURITY CLASSIFICATION
U. S. Army Aeromedical Research Laboratory		Unclassi	
· ·		2b. GROUP	ried
Fort Rucker, Alabama 36360		25. GROOP	
3. REPORT TITLE			
REAL-EAR SOUND ATTENUATION CHARACTERISTICS CREWME		2 HELMET F	OR ARMORED VEHICLE
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name)		<del></del>	
Robert T. Camp, Jr.	Rohi	nton N. Gu	zdar. SP5
Robert W. Bailey, COL, MS		on A. Scho	
Ben T. Mozo		thy M. Hin	-
6. REPORT DATE	78. TOTAL NO. O		7b. NO. OF REFS
February 1973	11		4
88. CONTRACT OR GRANT NO.	98. ORIGINATOR	S REPORT NUME	BER(S)
b. PROJECT NO. 3A062110A 819	USAARL Re	port No. 7	3–8
c.Work Unit Number 119 (FY 73)	9b. OTHER REPO	RT NO(S) (Any of	her numbers that may be assigned
d.	<u> </u>		
This document has been approved for publis unlimited.	lic release	and sale;	its distribution
11. SUPPLEMENTARY NOTES	12. SPONSORING	MILITARY ACTI	VITY
	II C Arem	v Modical I	D Commond
		n, D.C. 20	R & D Command 0314
13. ABSTRACT	<u> </u>	<del></del>	
The U.S. Army Aeromedical Research Lab Medicine Division of The Office of The Surgent that would be suitable for replacement of the data taken from samples of tank crewmen reventere is an urgent need for the development adverse acoustic environments associated wireal-ear tests of sound attenuation establication protective device for armored vehicle crewments.	geon General the standard realed hearin t of a helmet th tank oper shed the T-5	to test "c T-56-6 CVC ng losses w that woul cations. P	off-the-shelf" helmets helmet. Audiometric which indicated that ad protect against the revious evaluation by
Three "off-the-shelf" helmets were tes eration as a possible replacement for the s tified by the Armor Center as their choice for the armor environment.	tandard CVC	helmet. T	he DH-132 was iden-
A Materiel Need (MN) document was prep	ared and sta	ffed to pr	ocure the DH-132. The

first group procured for engineering and service test DH-132-1 was found less efficient than the original DH-132. This identified deficiency was corrected in a second prototype DH-132-2. Data in this report confirms the DH-132-2 meeting or exceeding all acoustic attenuation requirements of the MN and medically acceptable as an acoustic protector for armored vehicle crewmen. Therefore type classification Standard A is

DO FORM 1472 REPLACES DO FORM 1473, 1 JAN 64, WHICH IS

recommended for the DH-132-2 helmet.

Unclassified
Security Classification

L.,

Unclassified
Security Classification LINK A LINK B LINK C KEY WORDS ROLE ROLE WT 1. Acoustics 2. Audition 3. Hearing Conservation

Unclassified	
Security Classification	